E-ISSN: 1116 - 3089 P-ISSN: 3026-9784
MPRI-JOMDR | INTERNATIONAL JOURNAL OF ORGANIC & MEDICINAL DEV. RESEARCH, VOL. 08 NO. 3 APRIL, 2025

KINESIOLOGY AND PUBLIC HEALTH STRATEGIES FOR FALL PREVENTION AMONG ELDERLY POPULATIONS IN RESOURCE-LIMITED SETTINGS

JOSHUA OGBONNA

Department of Medical Biochemistry, University of Benin

Corresponding Author:

joshua.ogbonna.pubhealth@gmail.com

DOI: https://doi.org/10.70382/mejomdr.v8i3.005

Abstract

Falls among older adults are a growing public health crisis, especially in low- and middle-income countries where aging populations are rapidly increasing. These regions face unique challenges, including limited healthcare access, inadequate rehabilitation services, and hazardous living conditions, all of which contribute to high rates of fall-related injuries and deaths. Despite being largely preventable, falls often fly under the radar in public health priorities, particularly in resource-strapped communities. This paper highlights how combining kinesiology, through strength, balance, and mobility exercises, with public health strategies can be a game-changer in addressing this issue. By tapping into community-driven interventions, empowering local health workers, and using culturally relevant educational campaigns, fall prevention can be both effective and affordable. The paper also delves into key barriers such as financial limitations, environmental hazards, and cultural attitudes that discourage the use of mobility aids or preventive

Keywords:
Kinesiology, Public Health, Fall Prevention, Elderly populations, Resource-limited settings, Low- and middle-income countries (LMICs).

EDITOR-IN-CHIEF
Prof. A.S. Hossein [Saskatchewan]

care. It proposes a strategic framework that integrates fall prevention into primary healthcare, promotes cost-effective home modifications, and encourages multisectoral partnerships to foster healthy aging. The findings emphasize that with the right blend of physical, behavioral, and environmental solutions, we can make real progress in reducing falls and enhancing the well-being of older adults. By shifting fall prevention from an afterthought to a public health priority, especially in the most underserved areas, we can make a lasting impact on the lives of older adults.

INTRODUCTION

Kinesiology is all about understanding how we move and how we can make our bodies work better. It dives into areas like biomechanics, anatomy, physiology, and motor learning to help us stay active and healthy (Knudson, 2007). When it comes to public health, kinesiology is a game-changer. It helps us create programs that keep people moving safely, especially older adults who are more prone to injuries. The world is getting older, and it's happening faster than many of us realize. As people live longer thanks to improvements in healthcare and living conditions, we're seeing a significant rise in the number of older adults, especially in regions where health systems are already under pressure. The World Health Organization estimates that by 2050, the global population of people aged 60 and above will surpass 2 billion. While this reflects progress in many areas, it also presents new challenges, particularly the growing risk of falls among older adults.

Falls are more than just unfortunate mishaps. Every year, falls claim the lives of around 684,000 people worldwide, and more than 80% of these deaths happen in low- and middle-income countries (WHO, 2021). But the impact of falls goes far beyond the number of lives lost. Many people who survive a fall end up with serious injuries like broken bones, head trauma, or lasting disabilities. These injuries can take away a person's independence and greatly affect their overall quality of life (Yardley & Todd, 2020). Frankly speaking, falls are now the second leading cause of accidental injury deaths worldwide, with people over 60 being the most affected (WHO, 2021). The situation is even more challenging, as poor infrastructure, limited rehabilitation services, and underfunded healthcare

EDITOR-IN-CHIEF
Prof. A.S. Hossein [Saskatchewan]

systems make it harder to prevent or properly treat fall-related injuries (Choi et al., 2022).

In areas where resources are limited, the impact of falls on older adults can be especially serious. Many healthcare systems in these regions don't have the facilities or skilled professionals needed to offer proper treatment or rehabilitation after a fall. This means that even seemingly minor incidents can lead to serious and long-lasting consequences. Older adults may also struggle to get timely emergency care, and ongoing therapy is often either unavailable or too expensive to afford (Peel & Mitchell, 2023). The effects of falls go beyond physical injuries; they also place a heavy financial and emotional strain on families and healthcare systems. In parts of Africa and South Asia, for example, family members may have to stop working or move in with elderly relatives to provide care at home. This can reduce household income and add to the cycle of poverty and dependence. Injuries from falls can also lead to early retirement or withdrawal from social activities, making older adults more vulnerable to loneliness, depression, and cognitive issues (Abdulraheem & Parakoyi, 2021). All of this highlights why it's so important to see falls as more than just accidents. They are a public health issue that calls for coordinated, long-term solutions involving different sectors.

This paper comes at an important moment. As global health conversations shift toward more person centered, holistic care, we need to start looking at practical, community-driven ways to support older adults. That's where kinesiology, which is the science of human movement, comes in. When combined with public health strategies, it can provide creative, low-cost, and locally relevant ways to reduce fall risk and keep older adults active and safe.

The aim of this Study

The aim of this paper is to look at how kinesiology, which is movement-based interventions, paired with public health planning, can make a real difference in preventing falls in resource-limited settings. We'll examine what puts older adults at risk, review successful strategies from the field, explore the barriers to implementation, and suggest practical steps forward. The ultimate aim is to help communities shift from reacting to falls to actively preventing them, improving both quality of life and public health outcomes.

EDITOR-IN-CHIEF
Prof. A.S. Hossein [Saskatchewan]

Research Methodology

This study uses a qualitative, exploratory approach, supported by a narrative literature review and case-based analysis. This design is well-suited for examining the complex, real-world factors that influence fall prevention among older adults in resource-limited settings, particularly across sub-Saharan Africa. By combining lived experiences, academic research, and cultural perspectives, the study aims to provide a more well-rounded understanding of the issue.

Data Sources

To support the analysis, the study draws from a variety of sources, including:

- Peer-reviewed articles from databases like PubMed, Scopus, and Google Scholar (covering 2010–2025), with a focus on kinesiology, public health, and gerontology in African contexts.
- Policy papers and technical reports from international organizations such as the World Health Organization (WHO), UNFPA, and the Africa CDC.

Epidemiology of falls in Sub-Saharan Africa

To develop effective solutions for fall prevention among older adults in sub-Saharan Africa, it's important to first understand how common falls are and the reasons behind them. While there's a lack of large-scale data across the region, smaller studies and local surveys consistently show that falls are a serious public health issue for aging populations. In countries such as Ghana, Kenya, Nigeria, and South Africa, mobility-related injuries among older adults are on the rise, and falls are one of the leading causes. For instance, a study in rural Ghana revealed that nearly one in three elderly people had experienced at least one fall in the previous year (Awuah et al., 2017). Similar trends have been reported in urban areas, where factors like overcrowded homes, uneven paths, and poor lighting contribute to higher risk.

Unfortunately, many of these incidents go unreported. Older adults often don't seek medical care after falling, sometimes due to cost, limited access to healthcare, or cultural norms that discourage discussing such issues. As a result, the true scale of the problem is likely far greater than what current data shows. There are also important differences in risk depending on gender and location. Women, for example, tend to live longer and are more likely to fall, partly due to biological factors like lower muscle strength and osteoporosis, as well as domestic

responsibilities that put them in harm's way more often. In rural communities, hazards such as unpaved roads, lack of assistive devices, and homes not built with aging in mind make everyday movement even more challenging. As people across sub-Saharan Africa continue to live longer, the need to address the risks facing older adults becomes even more urgent. Without action, the region may see a rise in preventable injuries and disabilities, adding pressure to families, communities, and already strained healthcare systems.

Understanding the Risk Factors for falls among Older Adults

Falls are one of the most common and serious health issues affecting older adults, yet they rarely happen due to a single cause. Instead, they often result from a complex mix of personal health conditions, environmental hazards, and social or behavioral factors. In many low- and middle-income countries, especially in resource-limited settings like parts of sub-Saharan Africa, these risk factors are further intensified by inadequate healthcare systems, poor infrastructure, and limited public health awareness. To effectively prevent falls and reduce their impact on elderly populations, it's essential to understand the diverse range of contributing factors. These can be broadly grouped into intrinsic, extrinsic, behavioral and psychological, and sociocultural categories.

Intrinsic Risk Factors: They are those that originate from within the individual, particularly changes in the body and mind that come with aging. These can accumulate over time and interact in ways that significantly raise a person's risk of falling.

a) Muscle Weakness and Balance Issues: As people age, it's common to experience *sarcopenia*, a condition where muscle mass and strength gradually decline. This affects not only physical power but also balance and coordination, two critical factors in staying upright and steady. Research shows that weakened leg muscles are one of the strongest predictors of falls in older adults, especially those living independently (Cruz-Jentoft et al., 2019). In many resource-limited communities, access to nutrition, strength-training opportunities, or physiotherapy is minimal, which accelerates this decline.
b) Chronic Medical Conditions: Chronic illnesses such as arthritis, diabetes, heart disease, and vision impairments can significantly interfere with daily mobility. For instance, diabetic neuropathy can cause numbness or pain in

the feet, while glaucoma or cataracts make it harder to judge distances or spot hazards. In under-resourced health systems, these conditions are often underdiagnosed, poorly treated, or misunderstood by the patient, increasing the chances of falls (Ambrose et al., 2013).

c) Cognitive Decline and Medication Use: Mental health also plays a vital role. Conditions like dementia and depression can impair judgment and spatial awareness, making everyday activities more dangerous. The use of medications, particularly those that affect the brain or blood pressure, can further increase fall risk. Taking multiple medications at once (a practice known as *polypharmacy*) is particularly risky. According to Bano et al. (2023), older adults taking four or more medications are at significantly greater risk of falling, especially if the medications include sedatives or antihypertensives.

Extrinsic Risk Factors: These factors are external to the individual and include the conditions in their homes, neighborhoods, and communities.

a) Hazardous Living Conditions: In many urban slums or rural areas, homes are not designed with older adults in mind. Cracked or uneven floors, missing stair railings, low lighting, and cluttered spaces are common. These issues are more than inconveniences—they can be deadly for someone with poor eyesight or unstable footing (Van Niekerk et al., 2022). In many cases, homes are built with materials and layouts that prioritize affordability and functionality over safety.

b) Lack of Supportive Equipment: Walking aids like canes and walkers, or even something as basic as sturdy, well-fitting shoes, are essential tools for preventing falls. Yet in many low-income communities, these items are unavailable or unaffordable. Elderly individuals may walk barefoot or use inappropriate footwear, further compromising their stability and increasing their vulnerability to injury.

c) Dangerous Outdoor Conditions: Going outside isn't always safe either. Roads and sidewalks are often poorly maintained, if they exist at all. In rural areas, unpaved paths, potholes, or steep inclines can pose serious hazards, especially when older people must walk to the market, fetch water, or attend religious gatherings.

EDITOR-IN-CHIEF
Prof. A.S. Hossein [Saskatchewan]

Behavioral and Psychological Risk Factors: The way older adults think and feel about their mobility can also influence their risk of falling.

a) Fear of Falling: Ironically, the fear of falling can become a self-fulfilling prophecy. When someone becomes overly cautious, they may start avoiding movement altogether. This leads to physical deconditioning, muscle loss, reduced endurance, and poorer balance, which increases the actual likelihood of falling (Sherrington et al., 2021).
b) Social Isolation and Inactivity: Many older adults, particularly women and those who have lost a spouse, become socially isolated. Without family visits or community engagement, they may have fewer opportunities to stay active or report early signs of frailty. Inactivity contributes to both physical weakness and emotional decline, creating a cycle that makes falls more likely and recovery more difficult.

Sociocultural Considerations: The Role of Beliefs and Norms

Cultural attitudes toward aging can influence how falls are perceived and addressed within families and communities. In some societies, aging is seen as a time of inevitable decline, where reduced mobility and dependence are expected. This can discourage older adults from engaging in exercise or strength-building activities. In other communities, talking about a fall might be viewed as shameful or a sign that the person is no longer competent. As a result, many falls go unreported, and no preventive measures are taken. There's also a gendered component: older women are generally more vulnerable to falls due to a combination of biological factors (e.g., osteoporosis, lower muscle mass) and social roles. Women often carry out household chores well into old age, increasing their exposure to indoor fall risks. At the same time, they may have less access to healthcare or assistive devices due to financial or social barriers.

How Kinesiology Helps Prevent Falls in Older Adults

As we grow older, our bodies change in ways that can affect how we move, balance, and go about daily activities. These changes, while natural, can sometimes lead to serious consequences, like falls, which are one of the leading causes of injury and loss of independence in older adults. This is where **kinesiology**, the science of human movement, becomes especially valuable. Kinesiology goes beyond just understanding how we move. It helps identify subtle

changes in movement that could signal trouble ahead. It also provides practical, evidence-based strategies to help people maintain strength, balance, and confidence as they age. And importantly, in communities with limited access to hospitals or rehabilitation centers, kinesiology-based approaches can be a game-changer: low-cost, sustainable, and easily taught at the community level.

- **Recognizing Changes Before They Lead to Falls:** As people age, it's common to lose some muscle strength, joint flexibility, or coordination. These changes can affect everything from walking and standing to getting out of bed. A trained kinesiologist can detect these early shifts through simple assessments, like checking walking speed, balance, or how easily someone stands from a chair. For example, a quick test called the *Timed Up and Go (TUG)* test involves timing how long it takes someone to stand up, walk a few steps, turn around, and sit back down. Another simple test—the *30-Second Chair Stand Test*—counts how many times a person can rise from a chair in 30 seconds. These basic tools can tell us a lot about someone's strength and balance, and they don't require fancy equipment (Bennell & Hinman, 2020). This makes them ideal for use in rural clinics, homes, or even community centers.
- **The Power of Movement:** One of the most impactful ways kinesiology helps prevent falls is through personalized exercise programs. These aren't just any workouts, they're designed to strengthen muscles, improve balance, and restore confidence in movement. Studies have consistently shown that specific exercises, like resistance training and balance routines, significantly reduce the risk of falling (Sherrington et al., 2019). Two popular examples are the Otago Exercise Programme and Tai Chi. Both are gentle on the body but powerful in their effects, especially for older adults. What makes them even more special is that they can be done at home, in group settings, or with minimal equipment, making them ideal in places with limited resources. Exercise isn't just about muscles; it's also about the mind. When older adults join group classes in community halls, churches, or outdoor spaces, they're also building friendships and feeling part of something bigger. That sense of belonging can fight off loneliness and depression, both of which can increase fall risk.
- **Teaching Safe Movement:** Kinesiology isn't only about exercise routines. It's also about **teaching older adults how to move safely in their everyday**

lives. Simple techniques, like how to bend safely to pick something up, how to use a walking aid properly, or how to shift weight when standing up, can make a huge difference. This kind of **movement education** gives older adults the tools to protect themselves, especially when their environments aren't ideal. In many homes without grab bars or non-slip flooring, the smallest movement, like getting out of a bathtub, can become dangerous. By learning safer techniques, seniors are less likely to experience those everyday stumbles that lead to injury. Even in areas without trained kinesiologists, community health workers or caregivers can be taught to deliver simplified versions of these movement strategies. In doing so, they become local champions of fall prevention, helping their elders stay active and independent.

- **A Scalable, Community-Based Solution:** Perhaps the greatest strength of kinesiology is how **adaptable and scalable** it is. Unlike expensive treatments or surgeries, movement-based fall prevention doesn't require hospitals, machines, or specialists. All it needs is knowledge, commitment, and a supportive environment. In fact, kinesiology-based approaches can be **embedded into daily community life**, at churches, health outreaches, local schools, or home visits. They offer a way for communities to look after their elders in meaningful, culturally respectful ways. In many parts of sub-Saharan Africa and other underserved regions, where access to physiotherapy or geriatric care is limited, kinesiology becomes more than a science. It becomes a **lifeline**, offering older adults the chance to move with confidence, avoid injury, and remain active participants in their families and communities.
- **Movement as Medicine:** Kinesiology teaches us that movement isn't just about exercise; it's about freedom, dignity, and quality of life. For older adults, especially in places where medical care is out of reach, kinesiology-based fall prevention strategies offer a practical and empowering solution. By focusing on functional movement, education, and community-driven exercise, we can create environments where older adults feel safer, stronger, and more connected. In this way, kinesiology helps not only to prevent falls but also to preserve independence and promote healthy aging, even in the most resource-challenged settings.

Public Health Approaches to Fall Prevention

While kinesiology focuses on helping individuals build strength and balance to prevent falls, public health takes a broader view, looking at how to protect entire communities, especially where health systems are stretched thin. In many resource-limited settings, public health approaches are crucial because they tackle the root causes that contribute to falls, such as poverty, poor housing, limited access to healthcare, and lack of community support for older adults. Public health strategies aim to create safer, more supportive environments where older people can age with dignity and independence. This includes improving sidewalks and housing conditions, promoting access to vision care and nutrition, and ensuring older adults have safe spaces to stay active. Campaigns that raise awareness about fall risks, encourage regular checkups, and promote physical activity can reach large groups at once, helping to prevent injuries before they happen. By addressing both the social and environmental factors that put older adults at risk, public health complements individual interventions and helps create a community where healthy aging is possible for everyone.

- **Community-Based Fall Prevention Programs:** Community-based fall prevention programs offer a practical and culturally grounded approach to safeguarding the health and independence of older adults, especially in resource-limited settings. These programs often take shape through health education workshops that raise awareness about fall risks, proper nutrition, and simple strategies for making homes safer. By engaging older adults in conversations about their well-being and encouraging shared learning experiences, these initiatives build trust and promote behavior change in ways that are both accessible and respectful of local traditions. Equally important are grassroots efforts such as locally-led exercise groups—like chair fitness classes, stretching sessions, or neighborhood walking clubs—that provide low-impact movement tailored to the abilities of older individuals. These activities not only improve physical strength and balance but also foster social connections, reducing isolation. Additionally, volunteer-run home visits can help identify and address common hazards, such as poor lighting or the absence of handrails, using low-cost solutions. Trusted spaces like churches, mosques, and community halls often serve as hubs for these efforts, reinforcing the idea that fall prevention can be both

a communal responsibility and a shared opportunity for healthier aging (Abdulraheem & Parakoyi, 2021).

- **Training Community Health Workers (CHWs)**: In many low-resource settings, community health workers (CHWs) play a vital role in reaching older adults who may not have regular access to clinics or hospitals. As trusted members of their communities, CHWs are well-positioned to identify fall risks and support prevention efforts at the grassroots level. With proper training and simple tools, such as checklists for assessing home safety or guides for leading basic strength and balance exercises, CHWs can help identify at-risk individuals and offer practical advice that makes a real difference. Their involvement not only extends the reach of healthcare but also ensures that fall prevention is tailored to local needs and realities (Peel & Mitchell, 2023).
- **Health Promotion and Community Awareness**: Raising awareness about fall risks doesn't always require expensive campaigns—often, the most effective messages are delivered through familiar and culturally relevant channels. Local radio stations, community drama groups, and storytelling sessions can be powerful ways to educate older adults and their families. These mediums break down stigma, encourage open conversations about aging, and promote preventive action. Some communities have even embraced intergenerational programs, where younger people assist elders with tasks or accompany them on walks. These programs foster a sense of connection while promoting safer, more active lifestyles for seniors.
- **Policy and Environmental Improvements**: Fall prevention is not just a health issue, it's also about creating safer spaces. Simple modifications, such as adding handrails, improving lighting, or painting stair edges in bright colors, can significantly reduce the risk of falls, even in modest homes or villages. Public spaces that are age-friendly, featuring smooth walkways, benches, and safe crossings, allow older adults to move more confidently and independently. Policymakers and organizations can support these changes by advocating for infrastructure improvements and by making fall prevention a part of broader health initiatives, such as primary care screenings and public health campaigns.
- **Building Integrated Care Systems**: For fall prevention to be truly effective, it needs to be part of a larger, integrated approach to elder care. Routine

health visits like checkups, diabetes care, or even vaccination drives offer opportunities to assess fall risks and provide advice. When healthcare professionals, CHWs, physiotherapists, and social workers collaborate, they create a safety net that supports older adults not just medically, but socially and emotionally as well. By embedding fall prevention into existing services, health systems can offer more holistic, sustainable support to aging populations.

Challenges and Barriers in Resource-Limited Settings

Even though we have a growing understanding of how to prevent falls among older adults, putting these strategies into action in resource-limited settings can be incredibly difficult. The challenges go beyond just money, they touch on infrastructure, education, cultural beliefs, and how communities prioritize health. Many older people in these settings live far from health facilities or lack access to specialized professionals like physiotherapists or occupational therapists. In these areas, healthcare is often delivered by overstretched general practitioners or traditional healers, who may not have the training or tools needed to address fall prevention in a comprehensive way (Choi et al., 2022).

Economic and Cultural Hurdles

Affordability is another major barrier. Many older adults live on very limited incomes and simply can't afford mobility aids, home adjustments like grab bars or non-slip mats, or transportation to health clinics. At a policy level, governments often focus their limited resources on more urgent health issues like infectious diseases, leaving fall prevention and elderly care underfunded (WHO, 2021). On top of that, cultural beliefs about aging can discourage people from seeking help. In some communities, using a cane or admitting to a fall is seen as a sign of weakness. As a result, many falls go unreported, and elders may resist using devices that could keep them safer (Van Niekerk et al., 2022).

Awareness, Environment, and Coordination

A lack of awareness also contributes to the problem. Many families and caregivers don't realize how serious falls can be, or how preventable they are. If no injury is visible, the fall might be dismissed as unimportant, which delays intervention (Yardley & Todd, 2020). Environmental hazards only add to the risk. Poorly built

homes, uneven floors, dim lighting, and broken roads are everyday realities for many, especially in informal settlements. Small, low-cost changes could make a big difference, but they are rarely included in public health efforts. Lastly, many of these regions struggle with fragmented healthcare systems. Services that do exist, whether provided by clinics, NGOs, or community programs, often operate in silos, which leads to gaps in care and prevents a coordinated, long-term approach to fall prevention.

Recommendations and Strategic Framework for Fall Prevention

Addressing fall-related injuries among older adults in resource-limited settings requires a thoughtful, practical, and culturally relevant approach. While the obstacles are considerable, they can be overcome with the right strategies. Below are some key recommendations and a framework to guide efforts at the policy, community, and clinical levels.

1. **Integrate Fall Prevention into Primary Health Care:** Fall risk assessments should be incorporated into routine primary care visits for older adults. Training healthcare workers, particularly nurses and community health workers (CHWs), to recognize mobility issues and provide fall prevention advice can help identify risks early. By integrating these assessments into existing services, such as routine checkups for chronic conditions or vaccination drives, we can reach more people and reduce the overall costs of fall prevention programs (Peel & Mitchell, 2023).
2. **Community-Based Exercise Programs:** Kinesiology-based movement intervention programs rooted in kinesiology, such as strength and balance exercises, walking clubs, or community Tai Chi sessions, should be adapted to meet the needs of low-resource settings. These interventions must be designed with minimal equipment to ensure accessibility for communities that lack resources. Furthermore, these programs need to be culturally relevant, incorporating local customs and traditions to make them more acceptable and effective. To ensure success, these programs should be led by trained local facilitators or volunteers who understand the community's unique needs and can create a supportive, engaging environment.

   For older adults in rural or home-bound situations who may struggle to travel, mobile outreach programs, often referred to as "exercise-on-wheels," can be introduced. These initiatives bring physical activity directly

to individuals, overcoming geographical barriers and allowing those with mobility issues to participate. By delivering the programs to where people live, these efforts ensure that all elders, regardless of their location or ability to travel, can enjoy the health benefits of regular exercise.

3. **Public Education and Health Literacy Campaigns:** Public education and health literacy campaigns play an important role in preventing falls by raising awareness and promoting healthy aging. These campaigns can utilize local radio, community events, dramas, or visual aids to effectively communicate their messages. The goal is to de-stigmatize falls, teach safe mobility techniques, and encourage home hazard modifications. It's also important to involve caregivers and younger family members in these efforts to foster a sense of intergenerational responsibility and support, ensuring that everyone plays a part in creating a safer environment for older adults.
4. **Improve Housing and Built Environments:** Making simple improvements to housing and the built environment can have a significant impact on the safety of older adults. Small, cost-effective changes, such as adding handrails, increasing lighting on staircases, or smoothing out uneven floors, can make a world of difference in preventing falls. Public health agencies, urban planners, housing authorities, and NGOs should collaborate to conduct safety audits in homes, offer financial support through subsidies or vouchers for necessary modifications, and ensure that new community buildings follow elder-friendly design standards. By working together, these efforts can create safer living environments and substantially reduce the risk of falls among older adults.
5. **Strengthen Policy and Funding Support:** Governments must recognize falls as a major public health concern and take steps to address them within national aging policies. This includes integrating fall prevention guidelines, requiring the reporting and tracking of fall-related injuries, and dedicating funding to training healthcare workers, providing assistive devices, and supporting community-based programs. In addition, international aid organizations and development partners can play a vital role by offering grants and technical support, helping to create a more comprehensive strategy for reducing fall risks among older adults.

6. **Foster Multisectoral Collaboration:** Tackling the issue of falls among older adults requires a team effort that brings together various sectors. A successful approach involves collaboration between healthcare professionals, like doctors, physiotherapists, and community health workers, and educators, communication specialists, policymakers, as well as civil society and faith-based groups. By organizing regular meetings, community discussions, and creating joint action plans, these diverse stakeholders can work together to foster a shared commitment to reducing fall risks and improving the overall well-being of older adults. This collaborative effort ensures that the response is comprehensive, coordinated, and effective.

Conclusion

Falls among older adults represent a significant and preventable public health challenge, particularly in resource-limited settings where the aging population is growing rapidly and health systems are often underfunded. This paper has emphasized the importance of combining kinesiology and public health approaches as effective, low-cost, and scalable solutions to this issue. Kinesiology helps individuals maintain their mobility, balance, and strength, while public health strategies focus on creating supportive environments and systems that prioritize safety, education, and access to preventive care. The importance of addressing this issue cannot be overstated. Falls are not simply accidents; they are often the result of systemic neglect and unmet needs. In many cases, the first fall leads to a cycle of disability, social isolation, and premature death. However, with targeted actions, such as training community health workers, offering culturally relevant exercise programs, making environmental adjustments, and fostering multi-sector collaboration, this cycle can be broken. Moving forward, several areas need further focus: gathering more data on the causes of falls in low-resource areas, exploring ways to integrate technology even in resource-limited environments, investing in the training of health workers and volunteers, and ensuring national health policies include fall prevention as a core part of aging and non-communicable disease strategies. At its core, preventing falls is about maintaining the dignity, independence, and quality of life of older adults. In environments where resources are limited, prevention is not only the most practical approach, but it is crucial. By combining kinesiology with public health strategies in a way

that is tailored to local needs, we can build safer, stronger communities where aging is not something to fear, but something to embrace.

References

Abdulraheem, I. S., & Parakoyi, D. B. (2021). Health challenges of the elderly in Nigeria: A review. *African Journal of Health Sciences, 34*(2), 233–241.

Ambrose, A. F., Paul, G., & Hausdorff, J. M. (2013). Risk factors for falls among older adults: A review of the literature. *Maturitas, 75*(1), 51–61.

Awuah, R. B., et al. (2017). Epidemiology of falls among older persons in Ghana. *Journal of Aging Research*.

Bano, A., Khan, K. A., Rehman, Z. U., & Shahid, H. (2023). Polypharmacy and the risk of falls in the elderly: A systematic review. *Journal of Geriatric Medicine, 6*(2), 78–84.

Behm, D. G., Young, J. D., Whitten, J. H., et al. (2021). Strength and balance training for the prevention of falls in older adults. *Sports Medicine, 51*(3), 447–465. https://doi.org/10.1007/s40279-020-01361-1

Bennell, K., & Hinman, R. (2020). Exercise as a treatment for osteoarthritis: Preventing falls through improved function. *British Journal of Sports Medicine, 54*(10), 560–561.

Choi, M., Oh, S., & Park, J. (2022). Falls among older adults in low- and middle-income countries: A systematic review. *BMC Geriatrics, 22*(1), 45. https://doi.org/10.1186/s12877-022-02897-2

Cruz-Jentoft, A. J., Bahat, G., Bauer, J., Boirie, Y., Bruyère, O., Cederholm, T., ... & Landi, F. (2019). Sarcopenia: Revised European consensus on definition and diagnosis. *Age and Ageing, 48*(1), 16–31.

Kalula, S. Z., & Scott, V. (2011). Falls prevention: A model for developing community-based interventions in Africa. *African Journal of Health Sciences*.

Knudson, D. (2007). *Fundamentals of Biomechanics*. Springer Science & Business Media.

Peel, N., & Mitchell, R. (2023). Falls prevention in low-resource settings: Priorities and practical strategies. *Journal of Global Health, 13*, 06012. https://doi.org/10.7189/jogh.13.06012

Sherrington, C., Fairhall, N. J., Wallbank, G. K., Tiedemann, A., Michaleff, Z. A., Howard, K., ... & Lamb, S. E. (2021). Exercise for preventing falls in older people living in the community. *Cochrane Database of Systematic Reviews*, (1).

Sherrington, C., Fairhall, N., Kwok, W., et al. (2019). Evidence on physical activity and falls prevention in older people: A systematic review. *Journal of Physiotherapy, 65*(1), 3–15. https://doi.org/10.1016/j.jphys.2018.11.018

Van Niekerk, L., Myezwa, H., & Frantz, J. (2022). Environmental risk factors for falls in urban South African communities. *African Journal of Disability, 11*, a978.

World Health Organization. (2021). *Falls*. [Online] Available at: https://www.who.int/news-room/fact-sheets/detail/falls

World Health Organization. (2021). *Age-friendly environments: World Health Organization guidance and toolkit*. [Online] Available at: https://www.who.int/publications/i/item/9789240038844

World Health Organization. (2021). *Decade of Healthy Ageing: 2021–2030*. [Online] Available at: https://www.who.int/initiatives/decade-of-healthy-ageing

Yardley, L., & Todd, C. (2020). Encouraging older people to undertake physical activity: Effects on fall risk. *Age and Ageing, 49*(5), 741–746.

EDITOR-IN-CHIEF
Prof. A.S. Hossein [Saskatchewan]